





GLAM® Bracket

Simply makes your patients look good

The conventionally ligating ceramic brackets are completely translucent and therefore fulfil the aesthetic demands of the most discerning patients. Rounded slot edges reduce friction and ensure shorter treatment times. A significant

advantage for the orthodontist is that the GLAM® brackets are especially easy to debond without any risk of splintering.

GLAM° brackets make for a good look on your patient and simplify your work.

Pure aesthetics

Not only adults but more and more younger patients are now calling for unobtrusive treatment using aesthetic materials. The GLAM® bracket from FORESTADENT enables you to fulfil this wish without fear of

compromise. Due to its polycrystalline ceramicstructure this one piece bracket is totally inconspicuous: Whereas the smooth surfaces of many ceramic brackets cause harsh reflections which attract unwanted attention, the gentle opalescence of the GLAM®'s surface is completely matt and beautifully discreet.

A further winning feature of the GLAM® brackets is their outstanding translucence. Since they possess no dominant colour of their own, GLAM® brackets blend in with the natural shade of the patient's teeth.

But GLAM® offers even more. The rounded slot edges not only make for reduced friction, they also protect the surfaces of tooth-coloured archwires. When used in conjunction with BioCosmetic® archwires, for example, the GLAM® bracket instantly blends in to form an aesthetic solution – to the delight of even the most discerning patients.

Uncompromising functionality

The GLAM® bracket consists of a single piece of distortion-proof ceramic. This ensures that clinical forces are efficiently and accurately transferred from the slot to the base.

The modern manufacturing method of GLAM® achieves better and rounder slot inlets.




Colour markings for easier bracket identification. Marking of the slot for easier bracket placement.

Ceramic doesn't have to splinter

Most patients appreciate the aesthetic advantages of ceramic brackets. Very few, however, are aware of the problems encountered during debonding. For many orthodontists, the thought that ceramic may splinter or fracture is a major cause for concern. In order to actively combat this risk already during the development of the GLAM® bracket, FORESTADENT was able to draw on the company's extensive experience in developing three generations of the QuicKlear® bracket. Inspired by the easy handling and above-all trouble-free debonding of this bracket, GLAM® was specifically designed to be removed in one piece by means of the Pauls debonding tool, without splintering or fracturing.


In the best of company

From an aesthetic point of view, GLAM® brackets are in the very best of company. Together with the aesthetic BioCosmetic® archwires, they form a perfect combination. The durable tooth-coloured coating of BioCosmetic® archwires retains its whiteness over time and therefore remains inconspicuous during the entire course of treatment. When used in conjunction with transparent elastic ligatures or toothcoloured steel ligatures, the aesthetic effect is nothing short of perfection.



For clinical cases such as these, the 2D° lingual system from FORESTADENT presents an excellent alternative. The 2D° lingual brackets are extremely flat, which ensures the most effective treatment and highest possible degree of patient comfort.







GLAM® is a ceramic twin bracket. Due to its optimal translucency it is very aesthetic. The rounded slot edges perfectly enable the use of our BioCosmetic® archwires. With the well-known Pauls Tool GLAM® brackets can be removed without any problems.

GLAM® Brackets

Roth Prescription



Colour-marks



GLAM® Brackets Roth Prescription

Ma	axillary				Slot .018"		Slot .022"		
Tooth		Torque Angulation In/Out		Rotation	Orde Right	r No. Left	Order No.		
1	Centrals	+12°	+5°	1,0	-	G764-0103	G763-0103	Right G764-0101	Left G763-0101
2	Laterals	+8°	+9°	1,5	-	G764-0203	G763-0203	G764-0201	G763-0201
_	Cuspids	-2°	+11°	1,0	4° mesial	G764-0303	G763-0303	G764-0301	G763-0301
3	Cuspids + hook	-2°	+11°	1,0	4° mesial	G764-0313	G763-0313	G764-0311	G763-0311
,	Bicuspids	-7°	0°	1,0	-	G764-0503	G763-0503	G764-0501	G763-0501
4	Bicuspids + hook	-7°	0°	1,0	-	G764-0513	G763-0513	G764-0511	G763-0511
5	Bicuspids	-7°	0°	1,0	-	G764-0503	G763-0503	G764-0501	G763-0501
5	Bicuspids + hook	-7°	0°	1,0	-	G764-0513	G763-0513	G764-0511	G763-0511

M	andibular					Slot .018"		Slot .022"		
Too	oth	Torque	Angulation	In/Out	Rotation	Order No.		Orde		
		Torquo	ringulation	, out	notation	Right	Left	Right	Left	
1	Centrals	0°	0°	1,5	-	G763-1203	G763-1203	G763-1201	G763-1201	
2	Laterals	0°	0°	1,5	-	G763-1203	G763-1203	G763-1201	G763-1201	
_	Cuspids	-11°	+7°	1,0	2° mesial	G764-1403	G763-1403	G764-1401	G763-1401	
3	Cuspids + hook	-11°	+7°	1,0	2° mesial	G764-1413	G763-1413	G764-1411	G763-1411	
_	Bicuspids	-17°	0°	0,7	-	G763-1503	G763-1503	G763-1501	G763-1501	
4	Bicuspids + hook	-17°	0°	0,7	-	G763-1513	G763-1513	G763-1511	G763-1511	
	Bicuspids	-22°	0°	0,7	-	G763-1603	G763-1603	G763-1601	G763-1601	
5	Bicuspids + hook	-22°	0°	0,7	-	G763-1613	G763-1613	G763-1611	G763-1611	

Cases

Variation	Slot .	.018"	Slot .022"				
Cases	1	3	1	3			
42	G706-0700	G706-0701	G706-0705	G706-0706			
선다는 3	G706-0710	G706-0711	G706-0715	G706-0716			
مـــــــــــــــــــــــــــــــــــ	G706-0720	G706-0721	G706-0725	G706-0726			

McLaughlin Bennett 5.0 Prescription





GLAM® McLaughlin Bennett 5.0 Prescription

M	axillary				Slot .018"		Slot .022"		
To	oth	Torque	Angulation	In/Out	Rotation	Orde		Orde	
		Torque	Allyulution	III/Out	notation	Right	Left	Right	Left
1	Centrals	+17°	+4°	1,25	-	G762T0103	G761T0103	G762T0101	G761T0101
2	Laterals	+10°	+8°	1,5	-	G762T0203	G761T0203	G762T0201	G761T0201
_	Cuspids	-7°	+8°	1,0	-	G762T0303	G761T0303	G762T0301	G761T0301
3	Cuspids + hook	-7°	+8°	1,0	-	G762T0313	G761T0313	G762T0311	G761T0311
_	Cuspids	0°	+8°	1,0	-	G762T0323	G761T0323	G762T0321	G761T0321
3	Cuspids + hook	0°	+8°	1,0	-	G762T0333	G761T0333	G762T0331	G761T0331
	Bicuspids	-7°	0°	1,0	-	G762T0503	G761T0503	G762T0501	G761T0501
4	Bicuspids + hook	-7°	0°	1,0	-	G762T0513	G761T0513	G762T0511	G761T0511
_	Bicuspids	-7°	0°	1,0	-	G762T0503	G761T0503	G762T0501	G761T0501
5	Bicuspids + hook	-7°	0°	1,0	-	G762T0513	G761T0513	G762T0511	G761T0511

Mandibular			Slot	.018"	SI	01		
Tooth	T		n In/Out	Rotation	Orde	r No.	Ord	E
1000	Torque	Angulation	III/Out	notation	Right	Left	Right	
Centrals	-1°	0°	1,5	-	G761T1223	G761T1223	G761T1221	
Centrals	-6°	0°	1,5	-	G761T1203	G761T1203	G761T1201	
Laterals	-1°	0°	1,5	-	G761T1223	G761T1223	G761T1221	
Laterals	-6°	0°	1,5	-	G761T1203	G761T1203	G761T1201	
Cuspids	-6°	+3°	1,0	-	G762T1403	G761T1403	G762T1401	
Cuspids + hook	-6°	+3°	1,0	-	G762T1413	G761T1413	G762T1411	
Cuspids	0°	+3°	1,0	-	G762T1423	G761T1423	G762T1421	
Cuspids + hook	0°	+3°	1,0	-	G762T1433	G761T1433	G762T1431	
Bicuspids	-12°	0°	0,7	-	G761T1503	G761T1503	G761T1501	
Bicuspids + hook	-12°	0°	0,7	-	G761T1513	G761T1513	G761T1511	
Bicuspids	-17°	0°	0,7	-	G761T1603	G761T1603	G761T1601	
Bicuspids + hook	-17°	0°	0,7	-	G761T1613	G761T1613	G761T1611	

Cases Upper cuspids -7° torque, lower cuspids -6° torque

Variation	Slot	.018"	Slot	Slot .022"			
Cases	1 3		1	3			
475	G706T0759	G706T0760	G706T0735	G706T0736			
ومريع ع	G706T0762	G706T0763	G706T0740	G706T0741			
كىرىمى 3-5	G706T0765	G706T0766	G706T0745	G706T0746			

Cuspids o° Torque

Slot.	018"	Slot .022"				
1	1 3		1	3		
G706T0773	G706T0774		G706T0767	G706T0768		
G706T0775	G706T0776		G706T0769	G706T0770		
G706T0777	G706T0778		G706T0771	G706T0772		

Upper cuspids -7° torque, lower anteriors -1° torque, lower cuspids o° Torque


42	G706T1000	G706T1001	G706T1009	G706T1010
선다는 3	G706T1002	G706T1003	G706T1011	G706T1012
숙고노광 3-2	G706T1004	G706T1005	G706T1013	G706T1014

Accessories

Order No	Content	Description
C501-0815	1	Debonding tool for debonding of GLAM®, TruKlear® brackets, double sided
G950-1000	1	Model GLAM® Brackets

BioCosmetic® — Straight-Arch-Form Individually packed





Description	Order No Maxillary	Order No Mandibular	Profile	Force	ø inch	ø mm	Content
BioCosmetic® Superelastic	217-0845	217-0945	•	25 g	.017"	0,43	10
**************************************	217-0850	217-0950	•	35 g	.019"	0,48	10
	217-1440	217-1540	-	55 g	.016" x .016"	0,40 x 0,40	10
	217-2040	217-2140	-	90 g	.016" x .022"	0,41 x 0,56	10
	217-2046	217-2146	-	135 g	.018" x .025"	0,46 x 0,64	10